

REMARKS/ARGUMENTS

With respect to the Applicant's Information Disclosure, a copy of JP 02071347 is enclosed. The reference does not disclose the last paragraph of Applicant's claim one, which last paragraph came from original claim 8 of the German application so that present claim 1, at least the final portion thereof, is a structure shown in Applicant's drawings and nowhere suggested in the Japanese reference.

Claims were rejected under 35 U.S.C. § 112, second paragraph, for indefiniteness. The claims have been amended to overcome these grounds of rejection. The changes are self-explanatory. Commenting on some, "ascertained length change" is used consistently in the claims now. The energy storage means corresponds to the volume body and resilient element and claim 1, line 19 have been correspondingly amended. See page 4, lines 28-30.

Applicant disagrees that claim 8 contradicts claim 3. Both refer to a wedge-shaped configuration. Claim 8 refers to the wedge-shaped base surface. That it is flat as well as being a wedge-shaped are not inconsistent. See page 4, lines 28-30 and page 5, line 32-page 6, line 2.

Claims 2-11 and also claim 1 were indicated as allowable if rewritten or amended to overcome the rejections under § 112, second paragraph. It is submitted that this has been done and the claims should be allowed.

THIS CORRESPONDENCE IS BEING
SUBMITTED ELECTRONICALLY
THROUGH THE PATENT AND
TRADEMARK OFFICE EFS FILING
SYSTEM ON DECEMBER 16, 2008.

RCF:ksb

Respectfully submitted,



Robert C. Faber
Registration No.: 24,322
OSTROLENK, FABER, GERB & SOFFEN, LLP
1180 Avenue of the Americas
New York, New York 10036-8403
Telephone: (212) 382-0700

⑩ 日本国特許庁(JP)

⑪ 実用新案出願公開

⑫ 公開実用新案公報(U) 平2-71347

⑬ Int. Cl.¹

A 47 C 3/028

識別記号

庁内整理番号

8812-3B

⑭ 公開 平成2年(1990)5月30日

審査請求 未請求 請求項の数 1 (全2頁)

⑮ 考案の名称 椅子

⑯ 実 願 昭63-151027

⑰ 出 願 昭63(1988)11月19日

⑱ 考 案 者 前 田 實 大阪府泉南郡岬町淡輪5790-38

⑲ 出 願 人 前 田 實 大阪府泉南郡岬町淡輪5790-38

⑳ 実用新案登録請求の範囲

脚台の上端に取付けたフレームに前部を固定支軸にて枢支するとともに、後部を第一圧縮コイルばねを介して該フレームに支持してなる座板と、

前記フレームに下端部を余して固定支軸にて枢支し、該枢支部から前方へアームを突設し、上部に背凭れ板を取付けてなる背凭れ杆と、

短径側の周囲に所定間隔でノッチを形成してなるカムを前記フレーム内に支軸にて枢支するとともに、該カムの偏心位置と前記座板の後部とを伝達杆で互いにヒンジ連結し、一端に前記ノッチに啮合する爪を有する伝達杆の中央部を前記フレーム内に枢支し且つ啮合する方向に弾性付勢するとともに、他端を該弾性付勢力に抗して前記アームに当接して啮合を解除した状態となし、更に一端を前記背凭れ杆の下端に遊動支軸にて枢支し、他端に設けた長円リングを前記カムの支軸に遊嵌してなる案内杆に、一端を前記カム周囲に摺動当接した第二圧縮コイルばねを圧縮巻回して、前記背凭れ杆上部を前方へ弾性付勢してなる傾動調節装

置と、


よりなることを特徴とする椅子。

図面の簡単な説明


第1図は本考案の代表的実施例を示す縦断側面図、第2図は座板に着座した状態の縦断側面図、第3図は座板に着座し且つ背凭れ板に凭れかかった状態の縦断側面図、第4図は他の実施例を示す縦断側面図である。

1:フレーム、2:座板、3:背凭れ杆、4:傾動調節装置、5:脚台、6:支持片、7:固定支軸、8:支持片、9:第一圧縮コイルばね、10:支持板、11:支持具、12:孔、13:下端部、14:固定支軸、15:アーム、16:背凭れ板、17:ストッパ、18:支軸、19:カム、20:伝達杆、21:ラッチ、22:案内杆、23:第二圧縮コイルばね、24:ノッチ、25:爪、26:ばね、27:遊動支軸、28:連結部、29:長孔、30:長円リング、31:摺動環、32:回転体、33:引張りコイルばね。

第 1 圖





第 2 圖



第 4 圖

第 3 圖



Family list

2 family member for: **JP2071347U**

Derived from 1 application

[Back to JP2071347U](#)

1 No title available

Inventor:

Applicant:

EC:

IPC: A47C3/026; A47C3/02; (IPC1-7): A47C3/026

Publication info: JP2071347U U - 1990-05-30

JP4040531Y2 Y2 - 1992-09-22

Data supplied from the esp@cenet database - Worldwide